JOURNAL OF LABELLED COMPOUNDS AND RADIOPHARMACEUTICALS

VOLUME XXVI

COMPOUND INDEX*

Compounds are listed in alphabetical order with the isotope and position of labelling following the entry except where an alternative presentation is desirable to provide less ambiguity.

		Page
A	Acetazolamide, -[*carbonyl*-^{11}C] acetamido-1,3,4-thiadiazole-2-sulphonamide	399
	Acetic acid, -[*carboxyl*-^{11}C]	83
	Acetone, -[*carbonyl*-^{11}C]	83,405
	Acetyl chloride, -[1-^{11}C]	68,69,399
	N-Acetyl-1,2,3,4-tetrahydroisoquinoline, -[*N-acetyl*-^{11}C]	66
	D,L-Alanine, -[3-^{11}C]	244
	L-Alanine, -[3-^{11}C]	88
	Alcoholato complexes, -[^{99m}Tc]	258
	N-Alkyl-2'-iodospiperone, -[^{125}I]	95
	Alprazolam, -[^{11}C]	69
	Altanserine, -[^{18}F]	336
	Amino acids, -[*carboxyl*-^{11}C]	79
	4-Aminobutyric acid (GABA), -[4-^{11}C]	400
	4-Amino-5-chloro-2-[^{11}C]methoxy-*N*-(1-phenylmethyl-4-piperidinyl)-benzamide (see also Clebopride, -^{11}C)	215
	3-Amino-5-fluoro-phencyclidine, -[^{18}F]	346
	2-(2-Aminopropyl)-5-bromothiophene, -[^{75}Br]	121
	2-(2-Aminopropyl)-5-iodothiophene, -[^{122}I], -[^{123}I]	121
	5-Amino-1ß-D-ribofuranosyl-imidazole-4-[*N*-(*p*-iodophenyl)]-carboxamide, -[^{125}I]	113
	Antibodies, monoclonal, labelled, -[^{203}Pb]	308
	Arachidonic acid, -[*carboxyl*-^{11}C]	402

© 1989 by John Wiley & Sons, Ltd.

Aryl carbohydrates, -[^{125}I], -[^{131}I] 319

Aryl fluorides, -[18F] 17

Atenolol, -[*isopropyl*-2-^{11}C] 208

B Benzonitrile, -[*cyano*-^{11}C] 72

Benzoyl chloride, -[*carbonyl*-^{11}C] 68

Benzyl iodides, substituted, -[*side-chain*-^{11}C] 251

N-[(*2RS,3RS*)-1-Benzyl-2-methyl-3-pyrrolidinyl]-5-chloro-2-methoxy-4-(1-fluoroethylamino)benzamide, -[^{18}F] 329

N-[(*2RS,3RS*)-1-Benzyl-2-methyl-3-pyrrolidinyl]-5-chloro-2-methoxy-4-(1-fluoropropylamino)benzamide, -[^{18}F] 329

Boronic acid adducts of metal oximes, -[^{99m}Tc] 27,48,54,60

Bromine, -[^{75}Br] 169

R-(-)-4-Bromo-2,5-dimethoxyphenylisopropylamine, -[^{77}Br] 130

Bromolisuride, -[^{76}Br] 490

6-Bromo-*m*-tyrosine, -[^{75}Br] 133

Butanol, -[1-^{11}C] 488

-[^{15}O] 76

tert.Butanol, -[*carbinol*-^{11}C] 83

n-Butylamine, -[^{13}N] 90

C Carbon dioxide, -[^{11}C] 460

-[^{15}O] 157,458

Carbon monoxide, -[^{11}C] 155

4-Chlorobenzonitrile, -[*cyano*-^{11}C] 72

2-(*O*-Chlorophenyl)-2-([^{11}C]methylamino)cyclohexanone (see also Ketamine, -^{11}C) 246

Clebopride, -[2-*methoxyl*-^{11}C] (see also 4-Amino-5-chloro-2-[^{11}C]methoxy-*N*-(1-phenylmethyl-4-piperidinyl)benzamide) 213

Clofilium, iodo analogues, -[^{123}I], -[^{131}I] 127

Colloids, sulphur, -[^{212}Pb] 495

Copper, -[^{64}Cu] 150

Copper (II) ethylglyoxal bis(thiosemicarbazone), -[^{62}Cu] 351

Copper (II) pyruvaldehyde bis(thiosemicarbazone), -[^{62}Cu] 351

Bis-(1,2-Cyclohexanedionedioximato(1-)-0]-[1,2-cyclohexanedionedioximato(2-)-0]borato(2-*N',N'', N'''-N''''-N-'''''*-chlorotechnetium, -[^{99m}Tc] 418

Bis-(1,2-Cyclohexanedionedioximato(1-)-O]-[1,2-cyclohexanedione-dioximato(2-)-O]methylborato(2-N'.N''.N'''.N''''.N'''''.N'''''']-chlorotechnetium, -[^{99m}Tc] 418

Cyclopropanecarbonyl chloride, -[1-^{11}C] 66

Cyclotron targets 182,183,185

D Deferoxamine-galactosyl-neoglycoalbumin, -[^{68}Ga] 348

2-Deoxy-2-fluoro-L-fucose, -[^{18}F] 222

2-Deoxy-2-fluoro-D-glucose 222,452,462,468
(see also 2-Fluoro-2-deoxyglucose)

2-Deoxy-2-fluoro-D-galactose, -[^{18}F] 222

6-Deoxy-6-fluoro-D-galactose, -[^{18}F] 222

L-Deprenyl, -[*N-methyl*-^{11}C] 236

Diamide mercaptide rhenium complexes, -[^{188}Re] 261,302

Diamide dimercaptide technetium complexes, -[^{99m}Tc] 44,261,302

Diethylenetriamine pentaacetic acid (DTPA), -[2-^{14}C] 299

10,11-Dihydroxy-*N*-n-3-fluoropropylnorapomorphine, -[^{18}F] 326

5,5'-Diiodo-3,3'-dimethylthiacyanine, -[^{125}I] 109

Diligand thiolamines, -[^{99m}Tc] 277

Dimercatosuccinic acid technetium complexes, -[^{99m}Tc] 35

4-Dimethylaminoantipyrine, -[4-*N-methyl*-^{11}C] 407

2,3-Dimethyl-*n*-butyric acid, -[2-*methyl*-^{11}C] 65

Dimethylglyoxime (DMG) complexes, -[^{99m}Tc] 266

N,N-Dimethyl-*N'*-iodomethoxyphenyl-1,3-propanediamines, -[^{125}I] 118

L-DOPA, -[3-^{11}C] 243

Doxepin, -[*N-methyl*-^{11}C] 213

E Ethylenediamine tetramethylene phosphonate, -[^{153}Sm]complexes 492

N,*N'*-1,2-Ethylenediyl-*bis*-L-cysteine diethyl ester (ECD), -[^{99m}Tc] 415,421

16α-Ethyl-21-fluoro-19-norprogesterone, -[^{18}F] 450

11ß-Ethyl-16α-fluoroestradiol, -[^{18}F] 323

2-Ethyl-8-[^{11}C]methyl-2,8-diazaspiro[4,5]decane-1,3-dione 197

F Fluoride, -[^{18}F] 143,190,192

Fluorobenzene, -[^{18}F] 12

5-(*p*-Fluorobenzenesulphonamido)-1,3,4-thiadiazole-2-sulphonamide, -[^{18}F] 12

Fluorobenzenesulphonyl chloride, -[^{18}F] 12

4-Fluorobenzonitrile, -[*cyano*-^{11}C] 72,287

p-Fluorobenzylamine, -[^{18}F] 287

N-Fluoro-*bis*(trifluoromethanesulfone)imide, -[^{18}F] 8

Fluorocatecholamines, -[^{18}F] 1

2-Fluoro-2-deoxy-D-glucose, -[^{18}F] 20,222,452-457,467,469
(see also 2-Deoxy-2-fluoro-D-glucose)

5-Fluoro-5,6-dihydro-uracil nucleosides, -[^{18}F] 227

17-Fluoro-3,3-dimethyl-heptadecanoic acid, -[^{18}F] 233

16α-Fluoro-17ß-estradiol, -[^{18}F] 488

5-Fluoroethyl-10,11-dihydro-5H-dibenzocyclohepten-5,10-imine, -[^{18}F] 344

4-Fluoroethyl-2,5-dimethoxyphenylisopropylamine, -[^{18}F] 130

6-Fluoro-L-DOPA, -[^{18}F] 230,465

2-Fluoroethylbromide, -[^{18}F] 338,340

N-Fluoro-*N*-ethylperfluorooctanesulfonamide, -[^{18}F] 8

Fluoroethyl triflate, -[^{18}F] 14

6-Fluoro-L-fucose, -[^{18}F] 222

7-Fluoroheptanenitrile, -[^{18}F] 219

7-Fluoroheptylamine, -[^{18}F] 219

16-Fluoro-hexadecanoic acid, -[^{18}F] 231

6-Fluorometaraminol, -[^{18}F] 207

5-Fluoromethyl-10,11-dihydro-5H-dibenzocyclohepten-5,10-imine, -[^{18}F] 344

α-Fluoromethyl-6-[^{18}F]fluoro-L-DOPA 228

17-Fluoro-3-methyl-heptadecanoic acid, -[^{18}F] 233

16-Fluoro-ß-methylhexadecanoic acid, -[^{18}F] 231

FluoromethylMK801, -[^{18}F] 10

N-Fluoro-*N*-methylnonafluorobutanesulfonamide, -[^{18}F] 8

N-Fluoro-*N*-methyltoluenesulfonamide, -[^{18}F] 8

N-Fluoro-*N*-methyltrifluoromethanesulfonamide, -[^{18}F] 8

Fluoromisonidazole, -[^{18}F] 6

16-Fluoropalmitic acid, -[^{18}F] 445

N-(*p*-Fluorophenyl)maleimide, -[^{18}F] 287

1-[(4-Fluorophenyl)(phenyl)methoxy]-ethyl)-4-(3-phenylpropyl)-piperazine, -[^{18}F] 19,412

3-Fluoropropyl bromide, -[^{18}F] 217,340

3-Fluoropropyl iodide, -[^{18}F] 340

N-3-Fluoropropylputrescine, -[^{18}F] 217

N-(3-Fluoropropyl)spiperone, -[^{18}F] 488

N-Fluoropyridinium triflates, -[^{18}F] 8

Fluoro-2-pyridone, -[^{18}F] 8

Fluororaclopride, -[*ethyl*-^{18}F] 338

analogues, -[^{18}F] 340

p-Fluorotoluene, -[^{18}F] 3

L-2-Fluorotyrosine, -[^{18}F] 224

7α-(11-Fluoroundecyl)estradiol, -[^{18}F] 342

6-Fluoroveratraldehyde, -[^{18}F] 1

Fluoxetine, -[*N-methyl*-^{11}C] 413
(see also dl-*N*-Methyl-3-(4-trifluoromethylphenoxy)-3-phenylpropylamine, -^{11}C)

G Generator systems, -[^{66}Ni]/[^{66}Cu], -[^{128}Ba]/^{128}Cs], [^{112}Pd]/[^{112}Ag], -[^{132}Te]/[^{132}I], -[^{69m}Zn]/[^{69}Zn] 498

-[^{81}Rb]/[^{81m}Kr] 479

D-Glucose, -[1-^{11}C] 86

H Haloperidol, -[^{18}F] 386

Halothane, -[^{18}F] 448

Hexafluorotechnetates, -[^{99}Tc] 47

Hexamethyl propylamine oxime (HMPAO) complexes, -[^{99m}Tc] 282

DL-Homocysteine thiolactone, -[1-^{11}C] 240

L-5-Hydroxytryptophan, -[ß-^{11}C] 243

I Indium, -[^{111}In] 194

Iodine, -[^{123}I] 171,175

-[^{124}I] 165

Iodine, quality, -[^{123}I], -[^{131}I] 137

Iodobenzamide, -[^{125}I] 98

o-Iodobenzoylalanine, -[^{131}I] 124

N-(*m*-Iodobenzoyl)-D-glucosamine, -[^{125}I] 91

o-Iodobenzoylserine, -[^{131}I] 124

R-(-)-4-Iodo-2,5-dimethoxyphenylisopropylamine, -[^{123}I] 130

o-Iodohippurate, -[^{131}I] 124

N-(*p*-Iodophenyl)maleimide, -[^{125}I] 296

4-Iodo-spiperone, -[^{123}I] 135

Iodolisuride, -[^{125}I] 98

17α-Iodovinyl-17ß-hydroxy-androst-4-en-3-one, -[^{123}I] 111

17α-Iodovinyl-17ß-hydroxy-19-norandrost-4-en-3-one, -[^{123}I] 111

(*E*)-5-(2-Iodovinyl)-N^3-methyl-2'-deoxyuridine, -[^{125}I] 93

(20*Z*)-,(20*E*)-17α-Iodovinylestradiol, -[^{125}I] 102

17α-Iodovinyl-11ß-ethylestradiol, -[^{125}I] 104

Iodo vitamin E, -[^{125}I] 116

Iron, -[^{52}Fe] 159

Isoflurane, -[^{18}F] 448

Isopropanol, -[*methine*-^{11}C] 405

Isopropyl iodide, -[2-^{11}C] 256

K (±), (-)-Ketamine, -[*N-methyl*-^{11}C] 246
(see also 2-(*O*-Chlorophenyl)-2-(methylamino)cyclohexanone, -^{11}C)

L Linoleic acid, -[*carboxyl*-^{11}C] 402

Lisuride, -[$^{75\text{-}76}$Br], -[^{123}I] 100

Low density lipoprotein (LDL), -[^{68}Ga] 285

-[^{99m}Tc] 271

M Magnesium, -[^{28}Mg] 172,173

Mercaptoacetylglycylalanylglycine technetium complex, -[^{99m}Tc] 41,50,124,436

H-[*S*-$^{11}CH_3$]Met(O_2)-Glu-His-Phe-D-Lys-Phe-OH 248

Methanol, -[^{11}C] 80

Methionine, -[*methyl*-^{11}C] 21

3-[^{11}C]Methoxybenzodiazepines 80

11ß-Methoxy-16α-fluoroestradiol, -[^{18}F] 323

3-Methyl-17-fluoroheptadecanoic acid, -[^{18}F] 445

5-Methyl-17-fluoroheptadecanoic acid, -[^{18}F] 445

2-Methyl-*n*-hexadecanoic acid, -[2-*methyl*-^{11}C] 65

Methyl iodide, -[^{11}C] 253

N-Methyl-ketanserin, -[*N-methyl*-^{11}C] 195

N-Methyl-3-(2-methoxyphenoxy)-3-phenylpropylamine, -[*N-methyl*-^{11}C] 412
(see also Nisoxetine, -^{11}C)

N-Methylparoxetine, -[*N-methyl*-^{11}C] 205

N-Methyl-4-piperidyl benzilate, -[*N-methyl*-^{11}C] 202

N-Methylspiroperidol, -[^{18}F] 386

dl-*N*-Methyl-3-(4-trifluoromethylphenoxy)-3-phenylpropylamine, -[*N-methyl*-^{11}C] 413
(see also Fluoxetine, -^{11}C)

Metoprolol, -[*isopropyl*-2-^{11}C] 208

N Nimodipine, -[*isopropyl*-2-^{11}C] 238

Nisoxetine, -[*N-methyl*-^{11}C] 412
(see also dl-*N*-Methyl-3-(2-methoxyphenoxy)-3-phenylpropylamine, -^{11}C)

2-Nitroimadizoles, N^1-substituted, -[^{125}I], -[^{131}I] 107

Nitromethane, -[^{11}C] 86

(±)-Nomifensine, -[*N-methyl*-^{11}C] 409

O 9,10-Octadecanoic acid 9,10-diaminodithiol, -[^{99m}Tc]complex 440

Oleic acid, -[*carboxyl*-^{11}C] 402

Opioid peptides, -[^{13}N] 73

Osmium, -[^{191}Os] 162

L-Ornithine, -[1-^{14}C], -[5-^{14}C] 481

2-Oxoquazepam, -[^{18}F] 334

Oxygen, -[^{15}O] 157,458

P L-Phenylalanine, -[*side-chain*-3-^{11}C] 88

Prazosin, -[7-*methoxyl*-^{11}C] 204

Propanolol, -[*isopropyl*-2-^{11}C] 208

Propionic acid, -[3-^{11}C] 64

Propylene amine oxime technetium complexes, -[^{99m}Tc] 57

N-Pyridoxyl-5-methyltryptophan, -[*iodo*-^{125}I] 128

N-Pyridoxyl-tryptophan, -[*iodo*-^{125}I] 128

Pyrilamine, -[*N-methyl*-^{11}C] 213

Q Quinuclindinyl benzylate (QNB), -[*carbonyl*-^{11}C] 199

-[^{3}H] 484

R Rhodium, -[^{105}Rh] 179

S Sarin, -[*methine*-^{11}C] 405

Selenium, -[^{72}Se], -[^{75}Se] 146

-[^{73}Se] 146,148

Sexadentate chelating ligands, -[Ga], -[^{111}In] 354

Sodium thiocyanate, -[^{11}C] 238

Spiperone, -[^{18}F] 383,391

Stannous glucoheptonate technetium complexes, -[^{99m}Tc] 38

Strontium, -[^{82}Sr] 153,168

Sucralfate and HSA-sucralfate, -[^{99m}Tc] 280

T Technetium nitrosyl complexes, -[^{99m}Tc] 22,24

N-[1-(2-Thienyl)cyclohexyl]-4-fluoropiperidine, -[^{18}F] 332

Thiolate complexes, -[Tc] 264

Tin, -[^{117m}Sn] 177

o-,*p*-Tolunitrile, -[*cyano*-^{11}C] 72

Triamide mercaptide complexes, -[^{188}Re], -[^{99m}Tc] 261

2,10,11-Trihydroxy-*N*-n-3-fluoropropylnorapomorphine, -[^{18}F] 326

N,*N*,*N*-Trimethylammonium-*p*-toluidine iodide, -[*N-methyl*-^{11}C,-^{14}C] 77

Tris(ß-diketonato)technetium(III) complexes, -[^{99m}Tc] 30

(+)-2α-Tropanyl benzilate, -[*N-methyl*-^{11}C] 202

L-Tryptophan, -[*side-chain*-3-^{11}C] 243

L-Tyrosine, -[*side-chain*-3-^{11}C] 243

* Compound Index Volumes I-XVI 17 475-604

Volumes XVII-XXII 23 863-916

Volume XXIII 24 465-483

Volume XXIV 25 443-463

Volume XXV 27 347-365

Journal of Labelled Compounds and Radiopharmaceuticals—Vol. XXVI

SEVENTH INTERNATIONAL SYMPOSIUM ON RADIOPHARMACEUTICAL CHEMISTRY

Groningen, The Netherlands 4–8 July, 1988

CONTENTS

Electrophilic Aromatic Radiofluorodemetallation (Hg,Sn) Reactions: a Convenient Route to Fluorocatecholamine Derivatives 1
A. Luxen, M. Perlmutter and J. R. Barrio

Application of Organotin Chemistry to Radiopharmaceutical Design: Preparation of N-(Tri-Butylstannyl)Allyl Derivatives 3
R. N. Hanson

NCA Labelling of Aromatic Compounds with ^{18}F 5
T. Guddat, W. Herdering, A. Knöchel, H. Salehi and O. Zwernemann

A Radiosynthesis of [F-18]Fluoromisonidazole 6
J. R. Grierson, J. M. Link, C. A. Mathis, J. S. Rasey and K. A. Krohn

Preparation and Characterization of ^{18}F Labelled N-Fluoro Compounds as Electrophilic Labelling Reagents 8
T. L. Fellers, E. Hofmann, F. Oberdorfer and W. Maier-Borst

Mapping Cation Channels: Synthesis of (^{125}I) and (^{18}F) Analogs of MK-801 10
D. M. Wieland, M. R. Kilbourn, E. Laborde, D. J. Yang, J-L. Pirat, D. L. Gildersleeve, M. E. Van Dort, B. J. Ciliax and A. B. Young

Preparation of NCA [^{18}F]Fluorobenzenesulphonyl Chloride 12
M. C. Lasne, F. Brady and V. W. Pike

[^{18}F]Fluoroethyl Triflate: Preparation and Reactions with Amines 14
D. O. Kiesewetter and R. D. Finn

Aryl Trimethylammonium Trifluoromethanesulfonates as Precursors to Aryl [^{18}F]Fluorides 17
M. S. Haka, M. R. Kilbourn and G. L. Watkins

Pet Radiopharmaceuticals by Using a Deuteron Beam 20
J. Steinbach, K. Guenther and G-J. Beyer

New Aspects of Technetium Nitrosyl Chemistry 22
A. Davison, N. de Vries and A. G. Jones

Novel Technetium Nitrosyl Containing Complexes 24
J. L. Newman, J. R. Thornback and D. P. Nowotnik

Technetium, Rhenium and Manganese Bamo (Boronic Acid Adducts of Metal Oxime) Complexes: Similarities and Differences 27
S. Jurisson, L. Francesconi, P. Juri, K. Linder, E. Treher, J. Gougoutas, M. Malley and A. D. Munn

Synthesis, Characterization and Biodistribution of Tris (β-Diketonato)Technetium(III)-Complexes 30
K. Leesmeister and K. Schwochau

Applications of ^{99}Tc NMR Spectroscopy to the Identification of Technetium Complexes in Vitro and in Vivo 32
A. Davison, J. F. Kronauge, L. O'Connell, R. M. Pearlstein, J. R. Thornback and A. G. Jones

Pentavalent Tc(V)-DMS Tumor Localization Mechanism. I. Polynuclear Technetium Complex Dissociation 35
A. Yokoyama, I. Yomoda and K. Horiuchi

A Stannous Glucoheptonate Kit Method for ^{99m}Tc Labeling of Leukocytes and Platelets. 38
S. C. Srivastava, R. F. Straub, R. R. Modesto and W. W. Shreeve

Influence of Labeling Conditions on the Relative Amounts of the Diastereomers of ^{99m}Tc Mercaptoacetylglycylalanylglycine (^{99m}Tc-MAGAG) 41
B. Cleynhens, P. Wigerinck, G. Bormans, M. De Roo and A. Verbruggen

Structures, Stereochemistry and Liquid Chromatography Properties of Technetium and Rhenium Diamide Dimercaptide Complexus 44
T. N. Rao, D. Wester, J-L. Vanderheyden, S. Kasina, D. Adhikesavalu, A. Camerman and A. R. Fritzberg

Reactions with Hexafluorotechnetates (IV) 47
R. Alberto, P. Bläuenstein, P. A. Schubiger and G. Anderegg

Chloro-hydroxy Substitution on Technetium Dioxime Complexes: Chemical and Biological Comparison of TcC1 (Dioxime)$_3$BR and TcOH(Dioxime)$_3$BR 48
W. Hirth, S. Jurisson, K. Linder, T. Feld, A. D. Nunn

Comparison of Benzyl, Benzoyl and Benzamidomethyl as Protective Groups for Mercaptoacetyltriglycine (MAG_3) 50
G. Bormans, B. Cleynhens, D. Perdieus, M. De Roo and A. Verbruggen

Study on Stability for Structures of Technetium Compounds 53
Wei Yi, Liu Bo-Li

Chemistry of Tc(Oxime)$_3$(μ-OH)SnC1$_3$ and TcC1 (Oxime)$_3$: Neutral Intermediates in the Synthesis of Boron-capped 99-Tc-Oxime Complexes 54
K. E. Linder, M. Malley, J. Gougoutas, S. Unger and A. D. Nunn

Preparation, Labeling and Biodistribution of [^{99}Tc]-Complexes of Diligand Molecules with an Amino Oxime Structure 57
E. Vanbeselaere, M. Remy, P. Adriaens, G. Bormans, M. Hoogmartens, M. De Roo and A. Verbruggen

SQ 32097: a Potential TC-99M Labeled Brain Imaging Agent 60
R. K. Narra, B. L. Kuczynski, D. Silva, A. D. Nunn and W. C. Eckelman

Malonic Ester Synthesis for the Preparation of ^{11}C Radiopharmaceuticals, Especially of $^{11}CH_3CH_2COOH$ 64
K. Niisawa, K. Ogawa, T. Hara and T. Nozaki

Preparation of NCA (1-^{11}C)Acid Chlorides as Labelling Agents for Amides 66
S. K. Luthra, D. Le Bars, V. W. Pike and F. Brady

Synthesis of Carbon-11 Alprazolam. A Benzodiazepine Receptor Agonist 69
W. Banks, T. J. Tewson and G. Digenis

Synthesis of ^{11}C-Labeled Aromatics using Aryl-chromium Tricarbonyl Intermediates 72
M. J. Adam, J. A. Balatoni and L. D. Hall

Synthesis and in Vivo Evaluation of N-13 Labeled Opioid Peptide Analogue for PET Opiate Receptor Studies 73
H. Saji, Y. Kiso, T. Mimoto, D. Tsutsumi, J. Konishi and A. Yokoyama

The Synthesis of a Polymeric Organoborane for the Preparation of [^{15}O]-Butanol 76
G. W. Kabalka, J. F. Green and G. McCollum

$^{11}C/^{14}C$ Kinetic Isotope Effects. A Method for Investigation of Enzyme and Organic Reaction Mechanisms 77
S. Axelsson, O. Matsson and B. Långström

On Line Synthesis of Amino Acids with Carbon-11 in α-Position 79
T. Guddat, W. Herdering, A. Knöchel, O. Zwerneman

[11-C]Methanol as a Direct Labeling Agent: Application to 3-Methoxybenzodiazepines 80
G. L. Watkins, D. M. Jewett and M. R. Kilbourn

A Comparative Study on the Reaction of $^{11}CO_2$ with Alkyl Metal Reagents 83
K. Någren and B. Långström

On-line Production of ^{11}C-Nitroalkanes and the Use of (^{11}C) Nitromethane in the Synthesis of D-(1-^{11}C)Glucose 86
K. O. Schoeps, C. Halldin, J-O. Thorell, S. Stone-Elander, G. Blomqvist and L. Widén

Asymmetric Synthesis of ^{11}C-Labelled Amino Acids 88
K. J. Fasth, G. Antoni, P. Malmborg and B. Långström

The Synthesis of Nitrogen-13 Labeled Butylamine Using Organoborane Polymers 90
G. W. Kabalka, J. F. Green, Z. Wang, M. M. Goodman

Search for Radioiodinated Glucose Derivative with Interaction to Hexokinase 91
Y. Magata, H. Saji, Y. Ohmomo, K. Horiuchi and A. Yokoyama

Synthesis and Evaluation of {^{125}I}-(E)-5-(2-Iodovinyl)-N^3-Methyl-2′ -Deoxyuridine as a Potential Probe for the Non-invasive Diagnosis of Herpes Simplex Encephalitis 93
M. Tandon, L. Xu, T. Iwashina, D. Tovell, E. E. Knaus, D. L. Tyrrell and L. I. Wiebe

Survey on N-Alkyl 2′ -Iodospiperone Derivatives: Effect of Lipophilicity and Dopamine Receptor Binding Affinity on in Vivo Biodistribution 95
H. Saji, K. Shiba, A. Saiga, T. Tokui, I. Nakatsuka, M. Okuno, A. Yoshitake and A. Yokoyama

Radiolabeling and CNS D-2 Dopamine Receptor Specificity of Iodobenzamide (IBZM) and Iodolisuride (ILIS) 98
H. F. Kung, M. P. Kung, S. Pan, R. Kasliwal, J. Billings and Y. Z. Guo

NCA Synthesis of Radiohalogenated Derivatives of Lisuride 100
C. Loc'h and B. Mazière

Synthesis and Target Tissue Uptake of the 20Z and 20E Isomers of 17α[^{125}I]Iodovinylestradiol 102
H. Ali, J. Rousseau, M. A. Ghaffari and J. E. van Lier

Synthesis and Tissue Distribution of [I-125]-17α-Iodo-vinyl-11β-Ethylestradiol 104
R. N. Hanson, C. Rosenthal, M. Ghoshal, F. Murphy, R. E. Gibson, V. Sood and R. C. Reba

Synthesis of Radioiodinated 2-Nitroimidazoles for Non-invasive Estimation of Hypoxic Tumors 107
J. R. Mercer, L. I. Wiebe and J. D. Chapman

Synthesis and Radiolabeling of a Lipophilic Cationic Cyanine Dye as a Tumor Specific Localizing Tracer 109
M. J. Weiss, M. J. Weiner and D. R. Elmaleh

Iodovinyl Progestins: Synthesis of 17α-Iodovinyl-17β-Hydroxy-4, 9-Dien-3-One 111
R. N. Hanson, F. Murphy, M. Ghoshal and C. Rosenthal

Synthesis and Biodistribution of Para-iodophenyl Analogue of a Naturally Occurring Imidazole Ribonucleoside 113
P. C. Srivastava and J. F. Allred

Radioiodination of Vitamin E (Tocopherol) D-B: TPDB and Anti-oxidant Effect on Platelet Membrane Stabilization 116
M. K. Dewanjee, A. N. Serafini

Synthesis of Substituted [^{125}I] Iodophenyl Amine Derivatives: Possible Brain Imaging Agents 118
M. A. Ghaffari, H. Ali, J. Rousseau and J. E. van Lier

Synthesis and Biological Evaluation of Radiohalogenated 5-Halo-Thiophene-2-Isopropylamines: New Agents to Evaluate Local Cerebral Blood Flow 121
M. M. Goodman, G. W. Kabalka, R. Marks, F. F. Knapp Jr. and S. Truelove

Influence of Nature and Configuration of α-Substituents in ^{131}I-o-Iodohippurate on the Renal Excretion Characteristics in Mice 124
B. Cleynhens, K. Verhelle, M. Hoogmartens, M. De Roo and A. Verbruggen

Synthesis and Evaluation of Radioiodinated Clofilium Analogs 127
V. Quiquero, D. H. Hunter, P. Culbert, P. L. Zabel and L. M. Gecelovsky

Tumor Localization in Hepatoma-bearing Nude Mice by Radioiodinated N-Pyridoxyl-5-Methyl-Tryptophan 128
Y. G. Zhou, Y. Zhao, G. R. Zhong, T. Zhu and Z. Y. Tang

Synthesis of High Specific Activity Radiohalogenated Amphetamine Analogues for Studies of the Serotonin 5-HT_2 Receptor 130
C. A. Mathis, J. M. Gerdes, A. T. Shulgin, A. J. Hoffman and D. E. Nichols

Synthesis of O- and M-Tyrosine Analogs as Potential Tracers for CNS Dopamine 133
O. T. DeJesus, J. Mukherjee and E. H. Appelman

4-^{123}I-Spiperone of High Purity and High Specific Activity, a Suitable Tracer for Imaging Dopamine Receptor Sites in Baboon Brains with SPECT 135
J. Mertens, D. Terriere, A. Bossuyt and C. Bossuyt-Piron

Determination of the Quality of ^{123}I and ^{131}I-Solutions by Means of Ion-Pair Radiochromatography 137
W. Vanryckeghem and J. Mertens

A Study of Proton Beam Penetration in a Small-volume Water Target 140
S.-J. Heselius, D. J. Schlyer and A. P. Wolf

Production of ^{18}F- from H_2O; Specific Radioactivity and Chemical Reactivity 143
J. Bergman, K. Aho, M. Haaparanta, A. Reissel and O. Solin

Production of ^{72}Se/^{72}As and ^{73}Se by Medium Energy Protons 146
R. Weinreich, R. Schwarzbach, Z. B. Alfassi and P. Smith-Jones

Comparative Evaluation of ^{73}Se-Production Via Several Routes 148
A. Mushtaq, S. M. Qaim and G. Stöcklin

Production of Carrier-Free ^{64}Cu: a Positron Emitting Radionuclide 150
J. Zweit, H. L. Sharma, A. M. Smith and S. Downey

Production of ^{82}Sr via the ^{82}Kr(^{3}He, 3n)-Process at a Compact Cyclotron 153
F. Tárkányi, S. M. Qaim and G. Stöcklin

Effective Reduction of C-11 Carbon Dioxide to C-11 Carbon Monoxide with Magnesium Metal 155
S. Iida

Interconversion of [^{15}O]O_2 and [^{15}O]CO_2 by Isotopic Exchange 157
R. Iwata, S. Yamazaki, Y. Fujisawa and T. Ido

The Production of ^{52}Fe with a Medium Energy Proton Accelerator 159
P. Smith-Jones and R. Weinreich

Neutron Production of Os-191 and Separation from Ir-192 for a Medical Os-191/Ir-191m Generator 162
C. Brihaye, M. Guillaume, F. F. Knapp, Jr., S. Dewez, D. E. Rice and A. P. Callahan

Production of ^{124}I for Positron Emission Tomography 165
H. L. Sharma, J. Zweit, S. Downey, A. M. Smith and A. G. Smith

Development of a Production Process for ^{82}Sr 168
I. Huszár, H. Youfeng, J. Jegge and R. Weinreich

^{75}Br Production: Electrochemical Preparation of an As-Cu Target 169
C. Loc'h and B. Mazière

Set up of a Target Station Using High-Current 72 Mev Protons for the Production of Iodine-123 and Other Longer-lived Radioisotopes 171
R. Maag and A. Janett

Rapid Isolation of Magnesium-28 from Neutron-irradiated Lithium-magnesium Alloys .. 172
J. A. van der Velden, Z. Kolar, R. C. Vollinga and J. J. M. de Goeij

Photonuclear Production of $^{28}MG(\rightarrow{}^{28}AL)$ 173
P. Polak, A. Wijand and L. Lindner

Production of ^{123}I at a Low-energy Cyclotron 175
B. Scholten, S. M. Qaim and G. Stöcklin

Production of High Specific Activity ^{117m}Sn with the Szilard-Chalmers Process 177
L. F. Mausner, S. Mirzadeh, R. Maher, J. A. Vanchiere and S. C. Srivastava

Production of ^{105}Rh by the Szilard-Chalmers Process with Ruthenium Acetylacetonate .. 179
Y. K. Wong, A. R. Ketring, J. M. Lo and D. E. Troutner

Thin Layers for Improving Corrosion Resistance of Target Windows 182
P. Ballhause, M. Barth, W. Enzinger, G. K. Wolf, B. C. Traving, W. Maier-Borst and F. Oberdorfer

Correlation of Hardness with Radiation Induced Defects in Metal Foil Windows 183
R. D. Finn, T. R. Shives, C. H. Brady, P. Plascjak, W. Meyer, Jr., Y. Sheh and S. Larson

MSCT and Heat: Computer Codes for Simulation of Multi-scattering and Thermal Dissipation of Charged Particle Beams in Multiple Thin Metallic Targets 185
M. Bonardi, F. Groppi, C. Birattari and G. Alberti

Fluorine-18 Production: New Designs for O-18 Water Targets 188
M. S. Berridge and R. Kjellstrom

Are the $^{16}O(\alpha,pn)^{18}F$ and the $^{18}O(p, n)^{18}F$ Channels Real Alternatives for the Production of ^{18}F- Used in Radiochemical Labelling? 190
A. Hermanne, M. Gysemans, N. Walravens, G. De Backer, W. Vanryckeghem, L. De Vis

A Reliable Pressurized Water Target for F-18 Production at High Beam Currents 192
G. K. Mulholland, R. D. Hichwa, M. R. Kilbourn and J. Moskwa

A Simple Method for the Separation of ^{111}In from Silver Targets by Thermochromatography 194
K. Schomäcker, G.-J. Beyer, R. Münze, W-G. Franke

Synthesis of a Radiotracer for Studying Serotonin-2-Receptors: Carbon-11 Labeled N-Methylketanserin 195
R. F. Dannals, H. T. Ravert, A. A. Wilson, J. J. Frost, H. S. Mayberg, M. J. Kuhar and H. N. Wagner, Jr.

Synthesis and Biodistribution of 2-Ethyl-8-(^{11}C)Methyl 2, 8-Diazaspiro(4,5)Decane-1,3-Dione ((^{11}C)RS 86), a Muscarinic Acetycholine Receptor Agonist 197
E. Livni and D. R. Elmaleh

Synthesis of n.c.a. (^{11}C)QNB 199
C. Prenant, L. Barré and C. Crouzel

Radiosynthesis and Comparisons in the Biodistribution of Carbon-11 Labeled Muscarinic Antagonists: (+)2α-Tropanyl Benzilate and N-Methyl-4-Piperidyl Benzilate 202
G. K. Mulholland, C. A. Otto, D. M. Jewett, M. R. Kilbourn, P. S. Sherman, R. A. Koeppe, K. A. Frey and D. E. Kuhl

Synthesis of ^{11}C-Labelled Prazosin, an α-1 Adrenoreceptor Antagonist 204
M. Diksic and D. Jolly

Synthesis of a Radiotracer for Studying Serotonin Uptake Sites: Carbon-11 Labeled N-Methylparoxetine 205
R. F. Dannals, H. T. Ravert, A. A. Wilson, U. Scheffel, J. J. Frost and H. N. Wagner Jr.

False Neurotransmitters; Pros and Cons as PET Tracers 207
D. M. Wieland, M. E. Van Dort and D. L. Gildersleeve

Synthesis of the N-(2-^{11}C-Isopropyl)-Labelled β-Adrenoergic Ligands Atenolol, Metoprolol and Propanolol 208
G. Antoni, P. Malmborg, J. Ulin and B. Långström

An Improved HPLC System for the Analysis and Purification of Organic Amine Radiopharmaceuticals 211
M. J. Adam, J. R. Grierson and S. Jivan

Synthesis of Radiotracers for Studying Histamine-1 Receptors: Carbon-11 Labeled Doxepin and Pyrilamine 213
R. F. Dannals, K. Yanai, A. A. Wilson, H. T. Ravert, J. J. Frost, U. Scheffel and H. N. Wagner, Jr.

(^{11}C)Clebopride: a Novel D_2-Antagonist as a Potential D_2-Receptor Tracer for PET 215
J. H. Guan, E. Livni and D. R. Elmaleh

N-3-[^{18}F]-Fluoropropylputrescine: a Potential Pet Imaging Agent for Prostate and Prostate Derived Tumors 217
D.-R. Hwang, L. Lang, C. J. Mathias, D. Kadmon and M. J. Welch

Synthesis of (^{18}F)7-Fluoroheptylamine and Tissue Distribution Studies in Rats 219
L. C. Washburn, T. T. H. Sun, B. L. Byrd and J. E. Crook

Fluorine-18 Labeled Fucose and Galactose Derivatives as Potential Tumor Imaging Agents Correlated with Glycoconjugate Synthesis 222
M. Tomura, K. Ishiwata, T. Ido and R. Iwata

Synthesis and Cerebral Metabolism of Aromatic (^{18}F) Fluoroamino Acids 224
H. H. Coenen, P. Kling, G. Stöcklin and W. Wutz

Synthesis and Evaluation of Some New (^{18}F)-5-Fluoro-5,6-Dihydro-Uracil-Nucleosides.. 227
G. W. M. Visser, G. C. M. Gorree, J. A. R. Dijksman, A. T. Bijma and J. D. M. Herscheid

A Positron Emitting Inhibitor of Aromatic L-Aminoacid Decarboxylase: α-Fluoromethyl-6-(F-18)Fluoro-L-Dopa 228
R. Chirakal, G. Firnau and E. S. Garnett

Purification and Workup of ^{18}F-6-L-Fluorodopa Synthesized via the Reaction of AcOF with Hg-DOPA Derivative 230
M. J. Adam and S. Jivan

Synthesis of 16-[^{18}F]Fluoro-betamethylhexadecanoic Acid ([^{18}F]FBMHA) and 16-[^{18}F]Fluorohexadecanoic Acid ([^{18}F]FHA) from the Corresponding Triflates 231
E. Livni and D. R. Elmaleh

Radiochemical Synthesis of (^{18}F)-3-Methyl-Branched Omega Fluoro-fatty Acids 233
M. M. Goodman and F. F. Knapp, Jr.

Probing the Biochemical Basis of the PET Image. Mechanistic PET Studies of [^{11}C]L-Deprenyl Binding Using the Deuterium Isotope Effect 236
J. S. Fowler, A. P. Wolf, R. R. MacGregor, S. L. Dewey, J. Logan, D. Schlyer and B. Långström

Synthesis of (^{11}C) Sodium Thiocyanate and (Isopropyl-^{11}C) Nimodipine for the in Vivo Study of Ion Channels using PET 238
S. Stone-Elander, P. Roland, C. Halldin, E. Schwenner, H. Boeshagen and L. Widén

Synthesis of Carbon-11 Labeiled D, L-Homocysteine Thiolactone 240
K. Hamacher, J. Hanus and G. Stöcklin

Multi-enzymatic Synthesis of some ^{11}C-Labelled Neurotransmitter Precursors: Tyrosine, Dopa, Tryptophan and 5-Hydroxytryptophan 243
P. Bjurling, Y. Watanabe, P. Malmborg and B. Långström

Carbon-11 Labeled (±)- and (−)-Ketamine: Synthesis and PET Studies in a Baboon... 246
C.-Y. Shiue, S. Vallabhajosula, J. S. Fowler, S. L. Dewey, Y.-G. Zhou and A. P. Wolf

Rapid Conversion of a Homocystine-containing Peptide into Its Corresponding $^{*11}CH_3$-Labeled Methionine Sulfone Analogue. PET Experiments with H-(S-$^{11}CH_3$)Met(O_2)-Glu-His-Phe-D-Lys-Phe-OH 248
W. P. A. Janssen, J. W. van Nispen, J. F. G. A. Jansen, T. Wiegman, A. M. J. Paans, D. de Wied, M. G. Woldring and W. Vaalburg

Synthesis of Some ^{11}C-Labelled Substituted Benzyl Iodides 251
K. J. Fasth, P. Malmborg and B. Långström

Convenient Production Method of ^{11}C-Labeled Methyl Iodide with High Specific Activity 253
Y. Nishihara, H. Suzuki and H. Saji

Remote Controlled Production of [2-^{11}C]Isopropyl Iodide 256
P. Goethals, J. Sambre, G. Slegers and D. Van Haver

Synthesis and Characterization of Tc(IV)-Alcoholato Complexes 258
R. Alberto, P. Bläuenstein, G. Anderegg and A. Albinati

Synthesis of ^{99m}Tc and ^{188}Re Complexes of N_3S and N_2S_2 Amide Mercaptide Esters: Effect of Side Chain Length on Yield and Proposed Mechanism 261
D. Wilkening, A. Srinivasan, S. Kasina, T. N. Rao, J. L. Vanderheyden and A. R. Fritzberg

Sulfur Protecting Groups in the Preparation of Technetium(V) Thiolate Complexes 264
A. Davison, J. Lister-James, N. Bryson and A. G. Jones

A Re-assessment of the oxidation state of Tc(DMG)$_3$(μ-OH) SnC1$_3$: Evidence for Tc(III) 266
K. E. Linder, J. Gougoutas, M. Malley, A. D. Nunn and S. Unger

Tyramine-cellobiose (TC) Labeling of Antibodies: a Comparison with Other Labeling Techniques 269
M. J. Welch, C. J. Mathias, S. M. Moerlein, J. M. Connett, G. W. Philpott

Development of ^{99m}Tc-Low Density Lipoprotein (LDL) with High Radiochemical Purity at Tracer Application 271
P. Angelberger, M. Hüttinger, R. Dudczak and T. Leitha

A Chromatographic Method for the Measurement of the Lipophilicity of Lipophilic Technetium Complexes 274
T. Feld and A. D. Nunn

Complexes of Technetium-99m with Diligand Thiolamines and Their Biodistribution in Mice and Baboons 277
M. Remy, E. Vanbeselaere, P. Adriaens, G. Bormans, M. Hoogmartens, M. De Roo and A. Verbruggen

In Vitro Evaluation of ^{99m}Tc-Sucralfate and ^{99m}Tc-HSA-Sucralfate 280
M. W. Billinghurst, D. N. Abrams and M. Lawson

Comparative Radioanalysis of Tc-99m-HM-PAO VIA TLC, OPTLC and HPLC 282
E. Barbarics, J. Láng, G. Klivényi and Gy. A. Jánoki

Parameters Affecting the Labeling of ^{68}Ga-DTPA-LDL: a Potential Radiopharmaceutical for In-Vivo Imaging of Tissue Low-density Lipoprotein Receptor Activity With PET 285
S. M. Moerlein and M. J. Welch

Synthesis of ^{18}F-Labelled N-(P-(^{18}F)Fluorophenyl)Maleimide and its Derivatives for Labelling Monoclonal Antibody With ^{18}F 287
C.-Y. Shiue, A. P. Wolf and J. F. Hainfeld

Difference in the Biodistribution of Indium and Yttrium Labelled Monoclonal Antibodies 290
O. A. Gansow, M. W. Brechbiel, S. Mirzadeh, M. Roselli, D. Colcher, A. Raubitschek and J. Schlom

Iodination and Astatination of Antibodies Using Bifunctional Aryltin Intermediates 293
P. K. Garg, C. L. Harrison, D. D. Bigner and M. R. Zalutsky

Evaluation of N-(P-(^{125} I)Iodophenyl)Maleimide for Labeling Monoclonal Antibodies... 296
P. C. Srivastava, F. F. Knapp, Jr., J. F. Allred and D. J. Buchsbaum

Model Experiment for Determination of the Coupling Efficiency During Anti-body-BFC Conjugation 299
G. Klivényi, G. A. Janoki and L. Körösi

Mass Effect of Tc and Re Diamide Dimercaptide Complexes on Antibody Tumor Specificity 302
J. L. Vanderheyden, T. N. Rao, S. Gofinch, S. Kasina, P. Beamier, R. Berninger and A. R. Fritzberg

N-(2-Hydroxy-3, 5-Methylbenzyl)-N′-(2-Hydroxy-5-Bromoacetamidobenzyl)-Ethylene-Diamine-N, N′ -Diacetic Acid: a New Bi-functional Chelate for Radiolabeling Antibodies 305
M. J. Welch, C. J. Mathias, Y. Sun, W. G. Dilley, H. Seesko, S. A. Wells, Jr., G. W. Philpott, J. M. Connett and A. E. Martell

Development of ^{203}Pb as a New Label for Monoclonal Antibodies..... 308
S. C. Srivastava, G. E. Meinken, R. C. Mease, L. F. Mausner and Z. Steplewski

Radiopharmaceutical Preparation of a Monoclonal Antibody, LYM-1, and Its F(ab′)$_2$ Fragment for Imaging Lymphoma with In-111..... 311
S. L. Mills, S. J. DeNardo, G. L. DeNardo, S. V. Deshpande, M. McCall and C. Meares

Introduction of Diester Linkage Between Antibody and DTPA for Investigation of Its Effect on Biodistribution..... 314
C. H. Paik, R. S. Wu, S. M. Quadri, D. M. Goldenberg and R. C. Reba

A General Approach to Radiohalogenation of Proteins, Radiohalogenation of Organometallic Intermediates Containing Protein Reactive Substituents..... 316
D. S. Wilbur, M. D. Hylarides, S. Hadley, J. Schroeder and A. R. Fritzberg

Synthesis and Radioiodination of Aryl-carbohydrate Compounds for Attachment to Monoclonal Antibodies 319
S. A. Ali, S. D. Warren, C. C. Badger, J. F. Eary, O. W. Press, K. A. Krohn and W. M. Nelp

Properties of Lanthanide—Protein Complexes..... 322
K. Schomäcker, D. Mocker, R. Münze, G.-J. Beyer, W-G. Franke

Fluorine-18 Labeled 11β-Substituted Estrogens: Synthesis, Receptor Binding, and Comparative Target Tissue Uptake Studies..... 323
M. G. Pomper, J. A. Katzenellenbogen, R. D. Thomas, C. J. Mathias, H. van Brocklin and M. J. Welch

Synthesis of No Carrier Added 10, 11-Dihydroxy-N-n-3-(^{18}F)Fluoro-propylnorapomorphine and 2, 10, 11-Trihydroxy-N-n-3-(^{18}F)Fluoro-propylnorapomorphine. New Potential Dopamine Receptor Binding Radiopharmaceuticals for PET..... 326
S. Zijlstra, H. Boer, T. J. de Groot, S. Swart, J. Korf and M. Vaalburg

Synthesis of [^{18}F]Fluoroalkylated Analogues of a Benzamide Neuroleptic; YM-09151-2 329
K. Hatano, T. Ido, K. Ishiwata, K. Kawashima, J. Hatazawa, M. Itoh and R. Iwata

Radiochemical Synthesis of [^{18}F]Fluorothienyl Cyclohexylpiperidine [^{18}F]FTCP..... 332
D. O. Kiesewetter, K. C. Rice, M. V. Mattson and R. D. Finn

Synthesis of the Benzodiazepine-1 Antagonist [^{18}F]-2-Oxoquazepam..... 334
P. Johnström, T. Duelfer, S. Stone-Elander, C. Halldin, M. Haaparanta, O. Solin, J. Bergman, A. Holland, M. Steinman and G. Sedvall

N.C.A. Radiofluorination of Altanserine a Potential Serotonine Receptor-binding Radiopharmaceutical for Positron Emission Tomography..... 336
C. Lemaire, R. Cantineau, L. Christiaens and M. Guillaume

Synthesis of [Ethyl-^{18}F] Fluororaclopride for the in Vivo Study of Dopamine D2 Receptors Using PET..... 338
C. Halldin, T. Högberg, S. Stone-Elander, L. Farde, H. Hall, G. Printz, O. Solin and G. Sedvall

Radiosynthesis of N-(W-(^{18}F)Fluoroalkyl)Derivatives of the Dopaminergic Receptor-binding Ligand Raclopride..... 340
G. S. Lannoye, S. M. Moerlein and M. J. Welch

Synthesis of NCA 7α-(11-(^{18}F)Fluoroundecyl)-Estradiol: Evaluation of a Vector for Estrogen Receptor Based Agents..... 342
J. N. DaSilva, C. Crouzel and J. E. van Lier

Synthesis of (^{18}F) Analogues of MK-801..... 344
A. Denis and C. Crouzel

Synthesis of [^{18}F]Phencyclidines for Glutamate Receptor Mapping..... 346
M. E. Van Dort, D. J. Yang, M. R. Kilbourn, D. J. Gole, A. Kalir, E. F. Domino, A. B. Young and D. M. Wieland

Error Analysis of Regional Measurements of Hepatic Receptor Biochemistry via PET Observations of (^{68}Ga)-Deferoxamine-galactosyl-neoglycoalbumin Kinetics..... 348
D. R. Vera, K. A. Krohn, R. C. Stadalnik and P. O. Scheibe

Structure-activity Relationships for Potential Metal-Labeled Blood Flow Agents: Comparison of Copper(II) Bis (Thiosemicarbazone) Derivatives..... 351
M. A. Green and E. John

Stabilities of Complexes of Trivalent Metal Ions of Radiopharmaceuticals with Synthetic Chelating Ligands..... 354
R. J. Motekaitis, Y. Sun, C. Bannochie, A. E. Martell, C. J. Mathias and M. J. Welch

MGC Type Cyclotron in the Nuclear Medicine in Hungary..... 357
Z. Kovács, I. Mahunka and J. Környei

The Relationship of log K_s of Sm-153-Aminophosphonate and Aminocarboxylate Complexes with Skeletal Uptake in Rats..... 359
J. Simon, D. A. Wilson, S. A. Baughman, K. McMillan, D. Leggett, W. F. Goeckeler, L. M. Stringham and W. A. Volkert

Neutral Complexes of In-111 Containing Triamine Based Hexachelating Ligands..... 362
D. A. Moore, M. J. Welch, K. R. Wade, A. E. Martell and R. J. Motekaitis

Application of NMR in the Development of the Medicine and Diagnostic Radiopharmaceuticals 365
T. A. Babushinka, A. M. Vasiljev, G. E. Kodina and V. A. Brattsev

Synthesis of ^{195m}Pt Labelled Cis-Diammine(1, 1-Cyclobutanedicarboxylate)Platinum (II), an Active Anti-Tumour Drug, and its Use in Metabolic Investigations..... 366
N. D. Tinker, A. Perera, H. L. Sharma and C. A. McAuliffe

Gallium-72 Nitrate: a Potential Radiotherapeutic Skeletal Agent..... 369
S. A. Rao, D. W. Palmer, R. S. Hellman and L. A. Trembath

The Synthesis of 2-[^{11}C]-Methylphenylalanine..... 372
A. D. Gee and R. Långström

^{11}C-Labelling of the Benzodiazepine Antagonist RO 15-1788, in Two Different Positions, and its Main Metabolite RO 15-3890..... 375
C. Halldin, S. Stone-Elander, J-O. Thorell, A. Persson and G. Sedvall

Polymer-Supported Nucleophilic Radiolabeling Reactions with (^{18}F)Fluoride and (^{11}C)Cyanide Ion on Quarternary Ammonium Resins..... 378
G. K. Mulholland, T. J. Mangner, D. M. Jewett and M. R. Kilbourn

Nucleophylic Substitution at Cyclic Sulphamates—Routes to (^{18}F)Fluoro-analogues of MK 801 as Potential Radioligands for the NMDA Receptor..... 381
F. Brady, S. K. Luthra, V. W. Pike and L. Zecca

Why Does 4′ -Nitro-spiperone Fail as Precursor for the Preparation of [F-18]-Spiperone? 383
M. Gysemans, J. Mertens and W. Vanryckeghem

Improvements in the Production of (^{18}F)N-Methylspiroperidol and (^{18}F)Haloperidol..... 386
C.-Y. Shiue, J. S. Fowler, A. P. Wolf, C. Shea and M. J. Adam

^{18}F-Labeled Benzamide Derivatives: Synthesis of 3, 5-Di-Chloro-N-(1-(2-/^{18}F)-Fluoroethyl)-2-Pyrrolidinyl)Methyl)-6-Methoxysalicylamide and Derivatives as Dopamine D-2 Receptor-binding Radioligands..... 388
N. Satyamurthy, J. R. Barrio, G. T. Bida and M. E. Phelps

Microwave-facilitated Synthesis of [^{18}F]-Spiperone..... 391
D.-R. Hwang, S. M. Moerlein, C. S. Dence and M. J. Welch

Synthesis of 17α-Tri-N-Butylstannylvinyl-11β-Substituted Estrones: Precursors for High Affinity Estrogenic Radioligands..... 393
R. N. Hanson, M. Ghoshal, C. Rosenthal and F. Murphy

I. Preparation of [^{18}F]p-Fluorophenylhydrazine Using Diazonium Chemistry. II. A Radiolabelled Glucocorticoid: [^{18}F]WIN 44577..... 395
A. L. Feliu

Quality Control of ^{18}F-Labelled Pyrimidines and Pyrimidine Nucleosides 398
E. Hofmann, F. Oberdorfer and W. Maier-Borst

Synthesis of NCA (carbonyl-^{11}C)Acetazolamide for PET Studies in Vivo 399
D. Le Bars, S. K. Luthra, V. W. Pike and E. R. Swenson

Synthesis of 4-Amino(4-^{11}C)Butyric Acid (GABA) 400
G. Antoni, P. Malmborg and B. Långström

Synthesis and Biodistribution of ^{11}C Labelled Unsaturated Fatty Acids 402
J.-L. Piette, M. C. Pardon, G. Delfiore, L. Quaglia, J.-M. Peters, C. De Landsheere and P. Rigo

Synthesis of n.c.a. (^{11}C)Sarin 405
C. Prenant and C. Crouzel

Preparation of ^{11}C-Labeled 4-Dimethylaminoantipyrine 407
G.-J. Meyer, T. Harms and H. Hundeshagen

Synthesis of Racemic, (+) and (−) N-(Methyl-^{11}C)Nomifensine, a Ligand for Evaluation of Monoamine Reuptake Sites by PET 409
J. Ulin, A. D. Gee, P. Malmborg and B. Langström

Synthesis of Radiolabeled Inhibitors of Presynaptic Monoamine Uptake Systems: [^{18}F]GBR 13119 (DA), [^{11}C] Nisoxetine (NE), and [^{11}C]Fluoxetine (5-HT) 412
M. R. Kilbourn, M. S. Haka, G. K. Mulholland, D. M. Jewett and D. E. Kuhl

Evaluation of ^{99m}Tc-ECD as Blood Cell Labeling Agent 415
A. Verbruggen, L. Mortelmans, C. De Backker, C. Van Nerom and M. De Roo

Pharmacokinetics of ^{99m}Tc-Myocardial Perfusion Agents in Different Species 418
R. K. Narra, W. C. Eckelman, B. L. Kuczynski, D. Silva, T. Field and A. D. Nunn

Technetium-99m Complexes of Ester Derivatized Diamine-dithiol Ligands for Imaging Brain Perfusion 421
E. H. Cheesman, M. A. Blanchette, J. C. Calabrese, M. V. Ganey, L. J. Maheu, R. A. Morgan, R. C. Walovitch, A. D. Watson, S. J. Williams and S. J. Miller

Determination of the Oxidation State of Technetium in Tc (Sn)EHDP Complexes 424
T. G. Tji, W. J. Gelsema and C. L. de Ligny

Preparation and Biodistribution of Complexes of ^{99m}Tc with Thiol-oxime Diligands 427
P. Adriaens, M. Remy, E. Vanbeselaere, G. Bormans, M. de Roo and A. Verbruggen

Pentavalent Tc(V)-DMS Tumor Localization Mechanism. II. Participation of TcO_4^{-3} Oxoanion 430
K. Horiuchi, I. Yomoda, K. Endo, H. Ohta, J. Konishi and A. Yokoyama

PAH-iminodiacetic Acid Analogs as Renal Function Agents 433
L. R. Chervu, K. K. Bhargava, Z. Zhuangyu and M. D. Blaufox

Relation Between Stereochemical Configuration and Biodistribution of the Isomers of ^{99m}Tc-Mercaptoacetylglycylalanyl Glycine (^{99m}Tc-MAGAG) in a Baboon 436
A. Verbruggen, G. Bormans, B. Cleynhens, A. Vandecruys, M. Hoogmartens and M. De Roo

Some Aspects of Labeling Red Blood Cells with Technetium-99m in Vitro 439
A. O. Malysheva, N. F. Tarasov, G. E. Kodina, P. P. Boldyrev, M. A. Gracheva and I. Sh. Prokofieva

Synthesis of a Novel ^{99m}Technetium Fatty Acid 440
G. S. Jones and D. R. Elmaleh

An Improved Synthesis of No-carrier-added 3-[^{18}F]-Fluoro-1-(2-Nitro-1-Imidazolyl)-2-Propanol 442
D.-R. Hwang, C. S. Dence, M. J. Welch, M. E. Shelton and S. R. Bergmann

Preparation of Methyl-branched (W-^{18}F)Fluorofatty Acids and Their Tissue Distributions 445
T. Takahashi, T. Ido, R. Iwata and K. Ishiwata

The Synthesis of ^{18}F-Labeled Potent Anesthetics 448
R. J. Nickles, M. R. Satter, J. R. Votaw, J. J. Sunderland and C. C. Martin

Synthesis of 16α-Ethyl-21-(^{18}F)Fluoro-19-Norprogesterone, a Potential Receptor Binding Ligand for PET 450
T. J. de Groot, S. Zijlstra, B. J. G. Daemen and W. Vaalburg

Synthesis of (^{18}F)2-Deoxy-2-Fluoro-D-Glucose Using High ^{18}F Activities 452
M. Argentini, Th. Mäder and R. Weinreich

Optimization Studies of the Aminopolyether Supported Nucleophilic [^{18}F]FDG Synthesis 453
G. Engelskirchen, K. Hamacher, H. H. Coenen and G. Stöcklin

2-(^{18}F)Fluoro-2-Deoxy-D-Glucose Produced with an Electron Accelerator 455
T. Ohlsson, A. Sandell and S.-E. Strand

Reactor-produced (^{18}F)Fluoride in the Synthesis of NCA 2-(^{18}F)Fluoro-2-Deoxy-D-Glucose 456
H. Kvaternik, P. Angelberger and K. Buchtela

Automated Production and Quality Control of $^{15}O_2$ and $C^{15}O_2$ 458
K. Strijckmans, J. Sambre and F. De Guchteneire

A Fully Automated $^{11}CO_2$ Production/Dispensing System: a Study in Control Strategies. 460
T. J. Ruth, K. Pedersen, C. Morin, G. Ryley and C. Morrison

Process Signals to Control Radiotracer Syntheses: Experience with the Automated Production of 2-Deoxy-2-(^{18}F)Fluoro-D-Glucose 462
D. L. Alexoff, C.-Y. Shiue, G. Blessing, D. J. Schlyer and A. P. Wolf

Remote, Semiautomated Production of 6-(F-18)Fluoro-L-Dopa for Human Studies with PET 465
A. Luxen, J. R. Barrio, G. Van Moffaert, M. Perlmutter, J. C. Cook and M. E. Phelps

Automated Computer Controlled Synthesis of 2-^{18}F-FDG 467
H. Korpela, T. Autio, J. Tikkinen and E. L. Kämäräinen

Computer-controlled Radiochemical Synthesis: a Chemistry Process Control Unit for the Automated Production of Radiochemicals 469
H. C. Padgett, D. G. Schmidt, A. Luxen, G. T. Bida, M. Satyamurthy and J. R. Barrio

Flexible Reaction Unit for the Synthesis of Short-lived Labeled Compounds 472
S. Iida, T. Sugawara and Y. Toda

Evaluation of a Versatile Process Control System for a Robot Arm 474
G. Appelquist, C. Bohm, H. Eriksson, R. Wang, L. Eriksson, C. Halldin, P. Johnström and S. Stone-Elander

Some Recent Approaches to Smaller, Faster Devices for Remote PET Radiolabeling ... 476
D. M. Jewett, T. J. Mangner, G. K. Mulholland, S. A. Toorongian, A. C. Sutorik, G. L. Watkins and M. R. Kilbourn

An Extension Set for ^{81}RB-^{81m}KR Solution Generators for Lung Ventilation Studies 478
A. G. M. Janssen, A. J. Witsenboer, J. J. M. De Goeij and G. P. J. Wijnhoven

Ornithine Decarboxylase Activity in Tumor: a Study with L-[1-^{14}C]- and L-[5-11^{4}C]-Ornithine 481
Ph. H. Elsinga, B. J. G. Daemen and W. Vaalburg

In Vitro and ex Vivo Evaluation of N-Methyl Benzilates as Potential PET Agents for Muscarinic Receptors 484
C. A. Otto, G. K. Mulholland, S. E. Perry, R. Combs, P. S. Sherman and S. K. Fisher

Endotoxin Testing with Limulus Amoebocyte Lysate (ETLAL) in Radiopharmaceuticals Containing Chelated Metallic Radionuclides (RPMETRN) and Chelating Agents (CA) .. 486
M. K. Dewanjee, S. C. Chowdhury, T. Herold and A. N. Serafini

Automated Synthesis of Positron-emitting Radiopharmaceuticals Based on Generator-produced Radionuclides 488
J. W. Brodack and M. J. Welch

A New and Rapid Analytical Procedure for Measuring Unchanged Radiopharmaceuticals in Blood and Tissue Samples 490
B. Mazière, C. Loc'h and O. Stulzaft

Samarium-153 EDTMP Kit Formulation for Therapy of Disseminated Bone Cancer 492
P. Sorby, J. G. Wilson and J. H. Turner

A ^{212}Pb Radiocolloid for Intracavitary Therapy 495
R. W. Atcher, J. J. Hines, J. Rotmensch, D. Grdina and R. McKnight

The in Vivo Generator for Radioimmunotherapy 498
L. F. Mausner, R. F. Straub and S. C. Srivastava